

FIG. 1A




FIG. 1B

XZ - SECTION




FIG. 1C

XY - SECTION




FIG. 2A




FIG. 2B

XZ-SECTION




FIG. 2C

XY-SECTION




FIG. 3A




FIG. 3B

XZ-SECTION




FIG. 3C

XY-SECTION




FIG. 4A




FIG. 4B

XZ - SECTION





FIG. 4C

XY - SECTION



$$(Wb \times Pb) / (Wc \times Pc) \geq 1 \dots \text{CONDITION EQ. (1)}$$

$$(Wb \times Pb) / (Wc \times Pc) \geq 5 \dots \text{CONDITION EQ. (2)}$$

ELECTRODE CONSTRUCTION (CORRESPONDING TO 2 CYCLES)

(1) / (2)	26a			27a			26a			27a			ENHANCEMENT IN EFFICIENCY ⊙
	Pb=0.5 Wb=1	Pb=0.5 Wb=1	Pb=0.5 Wb=1	Pc=0.05 Wc=1	Pc=0.05 Wc=1	Pc=0.05 Wc=1	Pb=0.5 Wb=1	Pb=0.5 Wb=1	Pb=0.5 Wb=1	Pc=0.05 Wc=1	Pc=0.05 Wc=1	Pc=0.05 Wc=1	
(a)	○ / ○												
(b)	○ / X												
(c)	○ / X												
(d)	○ / X												
(e)	X / X												
(f)	X / X												

○ : THE CONDITION EQUATION IS SATISFIED
X : THE CONDITION EQUATION IS NOT SATISFIED

⊙ : EXTREMELY
SATISFACTORY
○ : SATISFACTORY
X : UNSATISFACTORY

FIG.5

FIG. 6A




FIG. 6B




FIG. 6C

